

Framing Community-Based Aphasia Services Using the Chronic Care Model
April Kramer, B.S., kramerap@uwec.edu
Tom Sather, PhD/CCC-SLP, sathertw@uwec.edu

References

- Aphasia. (2017, March 6). Retrieved from <https://www.nidcd.nih.gov/health/aphasia>
- Bodenheimer, T., Wagner, E. H., Grumbach, K. (2002a). Improving primary care for patients with chronic illness. *American Medical Association*, 288(14), 1775-1779.
- Bodenheimer, T., Wagner, E. H., Grumbach, K. (2002b). Improving primary care for patients with chronic illness: The chronic care model, part 2. *American Medical Association*, 288(15), 1909-1914.
- Coleman, K., Austin, B. T., Brach, C., & Wagner, E. H. (2009). Evidence on the chronic care model in the new millennium. *Health Affairs*, 28(1), 75-85. doi: 10.1377/hlthaff.28.1.75
- Darrigrand, B., Dutheil, S., Michelet, V., Rereau, S., Rousseaux, M., & Mazaux, J. (2011). Communication impairment and activity limitation in stroke patients with severe aphasia. *Disability and Rehabilitation*, 33, 1169-1178. doi: 10.3109/09638288.2010.524271
- Franzén-Dahlin, A., Karlsson, M. R., Mejhert, M., & Laska, A. (2009). Quality of life in chronic disease: a comparison between patients with heart failure and patients with aphasia after stroke. *Journal of Clinical Nursing*, 19, 1855-1860. doi:10.1111/j.1365-2702.2010.03219.x
- Hilari, K. (2011). The impact of stroke: Are people with aphasia different to those without? *Disability and Rehabilitation*, 33(3), 211-218. doi: 10.3109/09638288.2010.508829
- Hirschman, K. B., Shaid, E., McCauley, K., Pauly, M. V., & Naylor, M. D. (2015). Continuity of care: the transitional care model. *The Online Journal of Issues in Nursing*, 20(3). doi: 10.3912/OJIN.Vol20No03Man01

- Kunik, M. E., Roundy, K., Veazey, C., Soucek, J., Richardson, P., Wray, N. P., & Stanley, M. A. (2005). Surprisingly high prevalence of anxiety and depression in chronic breathing disorders. *Chest Journal*, *127*(4), 1205-1211.
- Lanyon, L., Worrall, L., & Rose, M. (2018). Combatting social isolation for people with severe chronic aphasia through community aphasia groups: consumer view on getting it right and wrong. *Aphasiology*, *32*(5), 493-517. doi:10.1080/02687038.2018.1431830
- Lotfaliany, M., Bowe, S. J., Kowal, P., Orellana, L., Berk, M., & Mohebbi, M. (2018). Depression and chronic diseases: co-occurrence and communality of risk factors. *Journal of Affective Disorders*, *241*, 461-468.
- Naylor, M. D., Hirschman, K. B., Toles, M. P., Jarrin, O. F., Shaid, E., & Pauly, M. V. (2018). Adaptations of the evidence-based transitional care model in the U.S. *Social Science & Medicine*, *213*, 28-36. doi:10.1016/j.socscimed.2018.07.023
- Nuño, R., Coleman, K., Bengoa, R., & Sauto, R. (2012). Integrated care for chronic conditions: the contribution of the ICCC framework. *Health Policy*, *105*, 55-64.
doi:10.1016/j.healthpol.2011.10.006
- Piatt, G. A., Orchard, T. J., Emerson, S., Simmons, D., Songer, T. J., Brooks, M. M., ... Zgibor, J. C. (2006). Translating the chronic care model into the community: results from a randomized controlled trial of a multifaceted diabetes care intervention. *Diabetes Care* *29*(4), 811-817.
- Rubio, M. (2018). Patient perceptions of life-limiting chronic obstructive pulmonary disease. *The journal for nurse practitioners*, *15*(2), 183-188.
- Simmons-Mackie (2018). Aphasia in North America. *Aphasia Access Whitepaper*.

Self-Management Resource Center. (2019). Chronic disease self-management (CDSMP).

Retrieved February 12, 2019, from

<https://www.selfmanagementresource.com/programs/small-group/chronic-disease-self-management>

Sobel, D. S., Lorig, K. R., & Hobbs, M. (2002). Chronic disease self-management program: from development to dissemination. *The Permanente Journal*, 6(2), 15-22.

Stellefson, M., Dipnarine, K., & Stopka (2013). The chronic care model and diabetes management in US primary care settings: A systematic review. *Preventing Chronic Disease*, 10. doi: 10.5888/pcd10.120180

Towfighi, A., Cheng, E. M., Ayala-Rivera, M., McCreath, H., Sanossian, N., Dutta, T....Vickrey, B. G.(2017). Randomized controlled trial of a coordinated care intervention to improve risk factor control after stroke or transient ischemic attack in the safety net: Secondary stroke prevention by uniting community and chronic case model teams early to end disparities (SUCCEED). *BioMed Central Neurology*, 17(24). doi: 10.1186/s12883-017-0792-7

World Health Organization. (2002). *Innovative care for chronic conditions: Building blocks for action*. Retrieved from

<https://www.who.int/chp/knowledge/publications/icccglobalreport.pdf?ua=1>